




Wheel Parts

- Carbon Fiber Rim / Aluminum Alloy Rim
- Spoke / Nipples
- Hub



PAN TAIWAN ENTERPRISE CO., LTD.

 <https://oem.pantaiwan.com.tw>

 oem@pantaiwan.com.tw

WHEEL PARTS



Carbon Fiber Rims



BB24001	BB24002	BB24003	BB24004	BB24005	BB24006
Clincher	Tubular	Clincher Tubeless	Small Clincher	BMX-S Clincher	MTB Tubeless
SPEC. Option:		Appearance: UD, 3K, or Ripple / Glossy, or Matte.			
		Profile Height (H): 25, 28, 30, 38, 50, 58, 85 mm			







Aluminum Rims

CUSTOM RIMS

Enquiry please specify what you need:

1. Rim type
2. Rim joint: Pined / Sleeved / Welded
3. ETRTO
4. Holes
5. Gauge
6. Finish

Stainless Steel Spokes

BB24201	BB24202	BB24203	BB24204	BB24205
Standard	Aero	High Tension	Butted	Titanium
				
Gauge: 14 G D: 2.0 mm L: 75~370 mm T: 9 or 12 mm	Gauge: 14 G D: 2.0 mm W: 2.3/3.0/3.2 mm L: 155~315 mm T: 9 or 12 mm	Gauge: 14 G D: 2.0 mm W: 2.3/3.0/3.2 mm L: 155~315 mm T: 9 or 12 mm	Gauge: 14 G D1: 2.0 mm D2: 1.8 mm L: 155~315 mm T: 9 or 12 mm	Gauge: 14 G D: 2.0 mm W: 2.3/3.0/3.2 mm L: 155~315 mm T: 9 or 12 mm
Finish Option: SBO black / PVD coating / Natural Silver / ED / Powder coating; Thread: BC 56				
Anti-loose Option PRECOTE® 19-7 				

Nipples

BB24301	BB24302	BB24303	BB24304
Standard Nipples	Arc Fit System	Powerful Nipples	Internal Nipples
			
Gauge: 14~15 G Aluminum / Brass D: 4.0 mm 0.3~0.4 g / 0.9 g ↑ L: 12~20 mm Anodized / ED	Gauge: 14~15 G Aluminum D: 4.0 mm 0.3 g L: 14~19 mm Anodized	Gauge: 14G Titanium D: 4.0 mm 0.4 g L: 11 mm Silver	Gauge: 15G / 14G Aluminum D: 4.0 mm 0.31g / 0.35 g L: 10 / 12 mm Anodized

◇ Please visit to our website for more details.



WHEEL PARTS

Hubs



BB24501

ROAD 4 PAWLS & 4 V-SPRINGS-STRAIGHT PULL



BB24601



BB24502

ROAD-OE 3 PAWLS & 1 V-SPRING-STRAIGHT PULL



BB24602



BB24503

ROAD 6 PAWLS & 6 V-SPRINGS-J-BEND



BB24603



BB24504

ROAD 3 PAWLS & 3 V-SPRINGS-J-BEND



BB24604

BB24505



ROAD 6 PAWLS & 6 V-SPRINGS-STRAIGHT PULL

BB24605



BB24506



ROAD DISC- 6 PAWLS & 6 V-SPRINGS J-BEND

BB24606



4 in 1



I.D. 5.2mm

I.D. 9mm

I.D. 12mm

I.D. 15mm

Convert end cap from I.D. 5.2mm to I.D. 15mm

ONE HUB ALL SOLUTION



102T / 6X6 / 4X4 / 3X3 / 3X1

BB24507	BB24607	BB24508	BB24608
ROAD DISC 6 PAWLS & 6 V-SPRINGS 102T STRAIGHT PULL		ROAD DISC -4 PAWLS & 4 V-SPRINGS. STRAIGHT-PULL	

BB24521	BB24621	BB24522	BB24622
MTB BOOST -102T J-BEND		MTB BOOST -OE 3 PAWLS & 1 SPRINGS J-BEND	

BB24523	BB24623	BB24524	BB24624
MTB BOOST STRAIGHT-PULL 102T		MTB J-BEND -102T J-BEND	

BB24525	BB24625	BB24609	BB24626
MTB BOOST STRAIGHT-PULL 102T	ROAD DISC / J-BEND	MTB DISC / J-BEND	MTB DISC / J-BEND

<p>102T</p>	<p>X-12</p>
The most popular hub for all MTB system	Compatible with SYNTACE X-12 system

